

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/734,952	10/734,952 12/12/2003		Rafael C. Lopez	THREE-136A	1456	
34284	7590	10/21/2005	`	EXAM	EXAMINER	
ROBERT D			COZART,	COZART, JERMIE E		
	RUTAN & TUCKER LLP 611 ANTON BLVD 14TH FLOOR			ART UNIT	PAPER NUMBER	
COSTA ME	SA, CA	92626-1931	3726			

DATE MAILED: 10/21/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
	10/734,952	LOPEZ ET AL.					
Office Action Summary	Examiner	Art Unit					
	Jermie Cozart	3726					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s) filed on	Responsive to communication(s) filed on						
,— · · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·						
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·						
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4)⊠ Claim(s) <u>1-25</u> is/are pending in the application.							
4a) Of the above claim(s) 17-25 is/are withdraw	4a) Of the above claim(s) <u>17-25</u> is/are withdrawn from consideration.						
5)⊠ Claim(s) <u>9-16</u> is/are allowed.							
6)⊠ Claim(s) <u>1</u> is/are rejected.	<u> </u>						
7)⊠ Claim(s) <u>2-8</u> is/are objected to.	· · · · · · · · · · · · · · · · · · ·						
8) Claim(s) are subject to restriction and/or	·						
Application Papers							
9)⊠ The specification is objected to by the Examiner.							
10)⊠ The drawing(s) filed on <u>12 December 2003</u> is/are: a)□ accepted or b)⊠ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Exa							
Priority under 35 U.S.C. § 119							
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 1/20/04.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:						

Art Unit: 3726

DETAILED ACTION

Election/Restrictions

1. This application contains claims directed to the following patentably distinct species of the claimed invention: **Species A**, drawn a ladder station supporting device, and corresponding to claims 1-16; **Species B**, drawn to an assembly machine for stacking blind slats, and corresponding to claims 17-24; **Species C**, drawn to a ladder station, and corresponding to claim 25.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, no claims are generic.

- 2. Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.
- 3. Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).
- 4. Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record

Art Unit: 3726

showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

- 5. During a telephone conversation with Robert Fish on October 12, 2005, a provisional election was made without traverse to prosecute the invention of Species A, claims 1-16. Affirmation of this election must be made by applicant in replying to this Office action. Claims 17-25 are withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.
- 6. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Drawings

7. The subject matter of this application admits of illustration by a drawing to facilitate understanding of the invention. *Figure 8* is missing from the drawings.

Applicant is required to furnish a drawing of *Figure 8* under 37 CFR 1.81(c). No new matter may be introduced in the required drawing. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d).

Application/Control Number: 10/734,952

Art Unit: 3726

8. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(4) because reference character "116" has been used to designate both a second set screw receiving side and the second articulation bore. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Page 4

9. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: 4. Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner,

Art Unit: 3726

the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

- 10. The disclosure is objected to because of the following informalities: On page 8, line 3, "22" in its second occurrence is objected to because "22" is not the correct reference character that was used to identify the bolts. Therefore, it is suggested to change "22" in its second occurrence to -24- -. Appropriate correction is required.
- 11. The use of the trademark TEFLON has been noted in this application. It should be capitalized wherever it appears and be accompanied by the generic terminology.

Although the use of trademarks is permissible in patent applications, the proprietary nature of the marks should be respected and every effort made to prevent their use in any manner which might adversely affect their validity as trademarks.

Claim Rejections - 35 USC § 102

12. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 13. Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Behn (4,074,897).

Behn discloses a ladder station supporting device (10) comprising an upper holder assembly (14) comprising an upper mounting body (18) and a first holder (19) rotatably fastened to the upper mounting body. Behn also discloses a lower holder

Art Unit: 3726

assembly (15) comprising a lower mounting body (18) and a second holder (19) rotatably fastened to the lower mounting body, and a vertically-oriented articulation rod (12) interconnecting the upper and lower holder assemblies, wherein the upper holder assembly <u>may be</u> (i.e. depending upon the spacing of plates 16, 17) adjustably positioned along an axis defined by the articulation rod. See column 2, line 49 – column 3, line 62, and figures 1-3 for further clarification.

Allowable Subject Matter

- 14. Claims 2-8 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 15. Claims 9-16 are allowed.
- 16. The following is a statement of reasons for the indication of allowable subject matter: Regarding **claim 9**, the prior art does not teach or suggest an upper holder assembly consisting of an upper mounting body, a first holder, a first bolt for rotatably fastening said first holder to said upper body, and a first set screw, and a vertically-oriented articulation rod interconnecting the upper and lower holder assemblies, wherein the upper holder assembly may be adjustably positioned along an axis defined by the articulation rod and secured thereto by the first set screw, and the lower holder assembly may be secured to a distal end of the articulation rod by the second set screw, in combination with the other claimed limitations.

Application/Control Number: 10/734,952

Art Unit: 3726

Conclusion

Page 7

17. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The references cited on the attached PTO-892 are cited to show dual work-holders connected to one another by rods or tubes.

- 18. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jermie Cozart whose telephone number is 571-272-4528. The examiner can normally be reached on Monday-Thursday, 7:30 am 6:00 pm.
- 19. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Bryant can be reached on 571-272-4526. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- 20. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jermie Cozart

Examiner

Art Unit 3726